

Powered by Confident Cannabis 1 of 6

#### **Cloud Water Brands**

14 Murray Street #228 New York, NY 10007 michael@cloudwaterbrands.com (631) 796-7646

#### Sample: 221014TRI002.006

Sample Description: Half Tea/Lemonade

Sample Received: 10/14/2022; Report Created: 11/03/2022; Sampled By: Client;

#### Half Tea #2

Ingestible, Beverage



Complete



ND **Total THC**  33.84 mg/unit Total CBD

ND

**Total CBG** 

33.84 mg/unit

**Total Cannabinoids** 

#### Cannabinoids

Date An

nalyzed: 10/28/2022					
Analyte	LOD	LOQ	Result	Result	
	mg/unit	mg/unit	mg/unit	%	
THCa	0.1159	0.3865	ND	ND	
Δ9-ΤΗС	0.1159	0.3865	ND	ND	
Δ8-THC	0.1159	0.3865	ND	ND	
THCVa	0.1159	0.3865	ND	ND	
THCV	0.1150	0.3865	ND	ND	

CBDa ND ND CBD 33.84 0.009416 CBDVa ND ND <LOQ **CBDV** <LOO CBN ND ND **CBGa** ND ND CBG ND ND **CBCa** 0.7504 ND ND CBC 0.3865 ND ND CBL ND ND 33.84 0.009416 Total

1 Unit = One 355 mL Can, 359.37g

Unit Mass/Volume provided by Client and may affect the validity of "mg/unit" results. SOP.102, AOAC 2018.11 (Modified): UHPLC-PDA. Total THC = "THCa" 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.878 + CBG. Pass/Fail THC criteria, if listed, is in accordance with 86 FR 5596 issued by the USDA for pre-harvest hemp clearance (total THC - uncertainty ≤ 0.3% THC). Dry weight percent of cannabinoids, if listed, is calculated using the dried weight determined by the moisture content prior to extraction, indicated as follows (SOP.702; Gravimetry).

CHOME NALY -CAL

6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34\_00077

Kristen Goedde Lab Manager

Tom Barkley Technical Manager

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 10 NYCRR §1005 issued by the New York Cannabinoid Hemp Program. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Powered by Confident Cannabis 2 of 6

**Cloud Water Brands** 

14 Murray Street #228 New York, NY 10007 michael@cloudwaterbrands.com (631) 796-7646 Sample: 221014TRI002.006

Sample Description: Half Tea/Lemonade

Sample Received: 10/14/2022; Report Created: 11/03/2022; Sampled By: Client;

Half Tea #2

Ingestible, Beverage



Microbials Pass

Date Analyzed: 11/01/2022

Analytes	Limit	Result	Status
	CFU/g	CFU/g	·
Total Aerobic Count	100000	<100	Pass
Salmonella SPP	Detected in 1g	Not Detected	Pass
E. Coli (STEC)	Detected in 1g	Not Detected	Pass
Yeast & Mold	10000	<100	Pass



SOP.602, SOP.606, SOP.607; qPCR, SOP.604; Plating, and/or SOP.605; MPN.

TRI— CHOME ANALY-TI—CAL 6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lab Manager Technical Mana Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34\_00077

Kristen Goedde Lab Manager

Tom Barkley Technical Manager Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 10 NYCRR §1005 issued by the New York Cannabinoid Hemp Program. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.





Powered by Confident Cannabis 3 of 6

**Cloud Water Brands** 

14 Murray Street #228 New York, NY 10007 michael@cloudwaterbrands.com (631) 796-7646

Sample: 221014TRI002.006

Sample Description: Half Tea/Lemonade

Sample Received: 10/14/2022; Report Created: 11/03/2022; Sampled By: Client;

#### Half Tea #2

Ingestible, Beverage



Mycotoxins **Pass** 

Date Analyzed: 11/02/2022

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	μg/g	
Aflatoxin B1	0.000820	0.00273		ND	Tested
Aflatoxin B2	0.000820	0.00273		ND	Tested
Aflatoxin G1	0.000820	0.00273		ND	Tested
Aflatoxin G2	0.000820	0.00273		ND	Tested
Total Aflatoxins			0.0200	ND	Pass
Ochratoxin A	0.00328	0.0109	0.0200	ND	Pass





6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34\_00077

Kristen Goedde Lab Manager

Tom Barkley Technical Manager

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 10 NYCRR §1005 issued by the New York Cannabinoid Hemp Program. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Powered by Confident Cannabis 4 of 6

**Cloud Water Brands** 

14 Murray Street #228 New York, NY 10007 michael@cloudwaterbrands.com (631) 796-7646 Sample: 221014TRI002.006

Sample Description: Half Tea/Lemonade

Sample Received: 10/14/2022; Report Created: 11/03/2022; Sampled By: Client;

Half Tea #2

Ingestible, Beverage



**Heavy Metals** 

Date Analyzed: 11/01/2022

μg/g μg/g μg/g	µg/g ND ND	Tested
Autimorania 0.0000F		Tested
Antimony 0.00805 0.0241	ND	
Arsenic 0.00651 0.0482 1.50	ND	Pass
Cadmium 0.000512 0.0241 0.500	ND	Pass
Chromium 0.0259 0.0722	ND	Tested
Copper 0.103 0.489	ND	Tested
Iron 0.516 2.41	ND	Tested
Lead 0.00609 0.0241 1.00 <	<loq< td=""><td>Pass</td></loq<>	Pass
Manganese 0.0155 0.489 <	<loq< td=""><td>Tested</td></loq<>	Tested
Mercury 0.00276 0.00722 1.50	ND	Pass
Nickel 0.0266 0.0722	ND	Tested
Selenium 0.0126 0.0963	ND	Tested
Zinc 0.0679 0.489 <	<loq< td=""><td>Tested</td></loq<>	Tested

SOP 502; ICPMS.



6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lab Manager Technical Mana Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34\_00077

Kristen Goedde Lab Manager Tom Barkley Technical Manager Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 5 of 6

**Cloud Water Brands** 

14 Murray Street #228 New York, NY 10007 michael@cloudwaterbrands.com (631) 796-7646 Sample: 221014TRI002.006

Sample Description: Half Tea/Lemonade

Sample Received: 10/14/2022; Report Created: 11/03/2022;

Sampled By: Client;

#### Half Tea #2

Ingestible, Beverage



Pesticides Pass

Date Analyzed: 11/02/2022

Abamectin	A l+	100	100	1 1 11	Danis	Chaha	A	100	100	1	Daniel	Ctata
Abamectin   0.0102   0.0342   0.300   ND   Pass   Fludioxonil   0.0102   0.0342   3.00   ND   Fast   Fludioxonil   0.0102   0.0342   3.00   ND   Fast   Fludioxonil   0.0102   0.0342   2.00   ND   Fast   Fludioxonil   0.0102   0.0342   2.00   ND   Fast   Fludioxonil   0.0102   0.0342   0.100   ND   Fast   Fludioxonil   0.0102   0.0342   0.00   ND   Fast   Fludioxonil   0.0102   0.0342   0.100   ND   Fast   Fludioxonil   0.0102   0.034	Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
Acephate 0.0102 0.0342 3.00 ND Pass Hexythiazox 0.0102 0.0342 2.00 ND F   Acequinocyl 0.0102 0.0342 2.00 ND Pass Imazalil 0.0102 0.0342 0.00 ND Pass Imazalil 0.0102 0.0342 3.00 ND Pass Kresoxim Methyl 0.0102 0.0342 3.00 ND Pass Malathion 0.0102 0.0342 3.00 ND Pass Methocarb 0.0102 0.0342 3.00 ND Pass Methocarb 0.0102 0.0342 0.00 ND Pass Methomyl 0.0102 0.0342 0.100 ND Pass Methomyl 0.0102 0.0342 0												_
Acequinocyl 0.0102 0.0342 2.00 ND Pass Imazalil 0.0102 0.0342 0.100 ND F   Acetamiprid 0.0102 0.0342 3.00 ND Pass Imidacloprid 0.0102 0.0342 3.00 ND F   Aldicarb 0.0102 0.0342 3.00 ND Pass Imidacloprid 0.0102 0.0342 1.00 ND P   Azoxystrobin 0.0102 0.0342 3.00 ND Pass Malathion 0.0102 0.0342 3.00 ND Pass Metalaxyl 0.0102 0.0342 3.00 ND Pass Methomyl 0.0102 0.0342 0.100 ND P Pass Methomyl 0.0102 0.0342 0.100 ND Pass <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>Pass</th></t<>												Pass
Acetamiprid 0.0102 0.0342 3.00 ND Pass Pass Pass Pass Pass Pass Pass Pass	•						•					Pass
Aldicarb 0.0102 0.0342 0.100 ND Pass Kresoxim Methyl 0.0102 0.0342 1.00 ND F   Azoxystrobin 0.0102 0.0342 3.00 ND Pass Malathion 0.0102 0.0342 2.00 ND F   Bifenazate 0.0102 0.0342 3.00 ND Pass Metalaxyl 0.0102 0.0342 3.00 ND F   Bifenthrin 0.0102 0.0342 0.500 ND Pass Methiccarb 0.0102 0.0342 0.100 ND F   Boscalid 0.0102 0.0342 3.00 ND Pass Methomyl 0.0102 0.0342 0.100 ND F   Carbar 0.0820 0.273 3.00 ND Pass Methomyl 0.0102 0.0342 0.100 ND Pass Methomyl 0.0102 0.0342 0.100 ND F 0.0102 0.0342 0.100 ND F 0.0102	. ,											Pass
Azoxystrobin 0.0102 0.0342 3.00 ND Pass Malathion 0.0102 0.0342 2.00 ND Fass Bifenazate   Bifenazate 0.0102 0.0342 3.00 ND Pass Metalaxyl 0.0102 0.0342 3.00 ND Fass Methorarb   Boscalid 0.0102 0.0342 3.00 ND Pass Methomyl 0.0102 0.0342 0.100 ND Fass Methomyl   Captan 0.0820 0.273 3.00 ND Pass Mevinphos 0.0102 0.0342 0.100 ND Fass Myclobutanil 0.0102 0.0342 3.00 ND Fass Myclobutanil 0.0102												Pass
Bifenazate 0.0102 0.0342 3.00 ND Pass Metalaxyl 0.0102 0.0342 3.00 ND Fass Methorarb   Bifenhfrin 0.0102 0.0342 0.500 ND Pass Methomyl 0.0102 0.0342 0.100 ND Fass Methomyl 0.0102 0.0342 3.00 ND Fass Methomyl 0.0102 0.0342 3.00 ND Fass Methomyl <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>Pass</th></t<>												Pass
Bifenthrin 0.0102 0.0342 0.500 ND Pass Methiocarb 0.0102 0.0342 0.100 ND Fass Methomyl   Boscalid 0.0102 0.0342 3.00 ND Pass Methomyl 0.0102 0.0342 0.100 ND Fass Methomyl   Captan 0.0820 0.273 3.00 ND Pass Mevinphos 0.0102 0.0342 0.100 ND Fass Methomyl 0.0102 0.0342 0.00 ND Fass Methomyl 0.0102 0.0342 0.00 ND Fass Naled 0.0102 0.0342 0.00 ND												Pass
Boscalid   0.0102   0.0342   3.00   ND   Pass   Methomyl   0.0102   0.0342   0.100   ND   Fast   F												Pass
Captan 0.0820 0.273 3.00 ND Pass Mevinphos 0.0102 0.0342 0.100 ND Fass   Carbaryl 0.0102 0.0342 0.500 ND Pass MGK-264 0.0205 0.0683 ND Tes   Carbofuran 0.0102 0.0342 0.100 ND Pass Myclobutanil 0.0102 0.0342 3.00 ND Pass Naled 0.0102 0.0342 0.500 ND Fass Naled 0.0102 0.0342 0.500 ND Fass Naled 0.0102 0.0342 0.500 ND Fass Oxamyl 0.0102 0.0342 0.500 ND Fass Paclobutrazol 0.0102 0.0342 0.500 ND Fass Paclobutrazol 0.0102 0.0342 0.100 ND Fass Paclobutrazol 0.0102 0.0342 0.100 ND Fass Paclobutrazol 0.0102 0.0342 0.100 ND Fass Pentachloronitrobenzene 0.0102												Pass
Carbaryl 0.0102 0.0342 0.500 ND Pass MGK-264 0.0205 0.0683 ND Test   Carbofuran 0.0102 0.0342 0.100 ND Pass Myclobutanil 0.0102 0.0342 3.00 ND F   Chlordane 0.0102 0.0342 0.100 ND Pass Oxamyl 0.0102 0.0342 0.500 ND F   Chlorfenapyr 0.0102 0.0342 0.100 ND Pass Paclobutrazol 0.0102 0.0342 0.100 ND F   Chlorfenapyr 0.0102 0.0342 0.100 ND Pass Paclobutrazol 0.0102 0.0342 0.100 ND F   Chlorpyrifos 0.0102 0.0342 3.00 ND Pass Parathion Methyl 0.0102 0.0342 0.100 ND F   Clofentezine 0.0102 0.0342 0.500 ND Pass Permethrins 0.0205 0.0683 1.00 ND <th></th> <th>Pass</th>												Pass
Carbofuran 0.0102 0.0342 0.100 ND Pass Pass Parathion Methyl Myclobutanil 0.0102 0.0342 3.00 ND Fass Pass Pass Pass Pass Pass Pass Pass	Captan					Pass				0.100		Pass
Chlorantraniliprole 0.0102 0.0342 3.00 ND Pass Pass Paclobutrazol Naled 0.0102 0.0342 0.500 ND Fass Paclobutrazol   Chlorfenapyr 0.0102 0.0342 0.100 ND Pass Paclobutrazol 0.0102 0.0342 0.100 ND Fass Paclobutrazol 0.0102 0.0342 0.200 ND Fass Paclobutrazol 0.0102 0.0342 0.200 ND Fass Paclobutrazol 0.010	Carbaryl						MGK-264				ND	Tested
Chlordane 0.0102 0.0342 0.100 ND Pass Paclobutrazol 0.0102 0.0342 0.500 ND Fass Paclobutrazol   Chlorfenapyr 0.0102 0.0342 0.100 ND Pass Paclobutrazol 0.0102 0.0342 0.100 ND Fass Paclobutrazol 0.0102 0.0342 0.200 ND Fass Paclobutrazol 0.0102 0.0342 0.200 ND Fass Paclobutrazol 0.0102 0.0342	Carbofuran	0.0102	0.0342	0.100	ND	Pass	Myclobutanil	0.0102	0.0342	3.00	ND	Pass
Chlorfenapyr 0.0102 0.0342 0.100 ND Pass Paclobutrazol 0.0102 0.0342 0.100 ND Fass Paclobutrazol   Chlormequat chloride 0.0102 0.0342 3.00 ND Pass Parathion Methyl 0.0102 0.0342 0.100 ND Fass Paclobutrazol   Chlorpyrifos 0.0102 0.0342 0.100 ND Pass Paclobutrazol 0.0102 0.0342 0.200 ND Pass Paclobutraz	Chlorantraniliprole	0.0102	0.0342	3.00	ND	Pass	Naled	0.0102		0.500	ND	Pass
Chlormequat chloride 0.0102 0.0342 3.00 ND Pass Parathion Methyl 0.0102 0.0342 0.100 ND Fass Parathion Methyl 0.0102 0.0342 0.100 ND Fass Pentachloronitrobenzene 0.0102 0.0342 0.200 ND Fass Phosmet 0.0102 0.0342 0.200 ND Fass Piperonyl Butoxide 0.0102 0.0342 0.000 ND Fass Propico	Chlordane	0.0102	0.0342	0.100	ND	Pass	Oxamyl	0.0102	0.0342	0.500	ND	Pass
Chlorpyrifos 0.0102 0.0342 0.100 ND Pass Pentachloronitrobenzene 0.0102 0.0342 0.200 ND Fass Pentachloronitrobenzene 0.0205 0.0683 1.00 ND Fass Pentachloronitrobenzene 0.0205 0.0683 1.00 ND Fass Pentachloronitrobenzene 0.0205 0.0683 1.00 ND Fass Phosmet 0.0102 0.0342 0.200 ND Fass Phosmet 0.0102 0.0342 0.200 ND Fass Piperonyl Butoxide 0.0102 0.0342 3.00 ND Fass Praglethrin 0.0410 0.0342 0.400 ND Fass Praglethrin 0.0410 0.0342 0.400 ND Fass Propionazole 0.0102 0.0342 0.100 ND Fass Propoxur 0.0102 0.0342 0.100 ND Fass Pyrethrins 0.0410 0.0342	Chlorfenapyr	0.0102	0.0342	0.100	ND	Pass	Paclobutrazol	0.0102	0.0342	0.100	ND	Pass
Clofentezine 0.0102 0.0342 0.500 ND Pass Pass Permethrins Permethrins 0.0205 0.0683 1.00 ND Fass Phosmet   Coumaphos 0.0102 0.0342 0.100 ND Pass Phosmet 0.0102 0.0342 0.200 ND Fass Phosmet   Cyfluthrin 0.0410 0.137 1.00 ND Pass Piperonyl Butoxide 0.0102 0.0342 3.00 ND Fass Propiconyl Butoxide 0.0410 0.0342 0.400 ND Fass Propiconyl Butoxide 0.0102 0.0342 0.400 ND Fass Propiconyl Butoxide 0.0102 0.0342 0.400	Chlormequat chloride	0.0102	0.0342	3.00	ND	Pass	Parathion Methyl	0.0102	0.0342	0.100	ND	Pass
Coumaphos 0.0102 0.0342 0.100 ND Pass Phosmet 0.0102 0.0342 0.200 ND Fass Phosmet   Cyfluthrin 0.0410 0.137 1.00 ND Pass Piperonyl Butoxide 0.0102 0.0342 3.00 ND Fass Properonyl Butoxide 0.0102 0.0342 3.00 ND Fass Properonyl Butoxide 0.0410 0.0342 0.400 ND Fass Properonyl Butoxide 0.0102 0.0342 0.400 ND Fass Propiconazole 0.0102 0.0342 0.400 ND Fass Propiconazole 0.0102 0.0342 0.100 ND Fass Propiconazole 0.0102 0.0342 0.100 ND Fass Propiconazole 0.0102 0.0342 0.100 ND Fass Pyrethrins 0.0410	Chlorpyrifos	0.0102	0.0342	0.100	ND	Pass	Pentachloronitrobenzene	0.0102	0.0342	0.200	ND	Pass
Cyfluthrin 0.0410 0.137 1.00 ND Pass Piperonyl Butoxide 0.0102 0.0342 3.00 ND Fass Properonyl Butoxide   Cypermethrin 0.0205 0.0683 1.00 ND Pass Prallethrin 0.0410 0.0342 0.400 ND Pass Propiconazole 0.0102 0.0342 1.00 ND Pass Propiconazole 0.0102 0.0342 0.100 ND Pass Pyrethrins 0.0410 0.0342 0.100 ND Pass Pyrethrins 0.0410 0.137 1.00 ND Pass Pyrethrins 0.0102 0.0342	Clofentezine	0.0102	0.0342	0.500	ND	Pass	Permethrins	0.0205	0.0683	1.00	ND	Pass
Cypermethrin 0.0205 0.0683 1.00 ND Pass Prallethrin 0.0410 0.0342 0.400 ND Fallethrin   Daminozide 0.0102 0.0342 0.100 ND Pass Propiconazole 0.0102 0.0342 1.00 ND Fass Propoxur 0.0102 0.0342 0.100 ND Pass Pyrethrins 0.0410 0.0342 0.100 ND Fass Pyrethrins 0.0410 0.0342 3.00 ND Fass Pyridaben 0.0102 0.0342 3.00 ND Fass Pyridaben	Coumaphos	0.0102	0.0342	0.100	ND	Pass	Phosmet	0.0102	0.0342	0.200	ND	Pass
Daminozide 0.0102 0.0342 0.100 ND Pass Propiconazole 0.0102 0.0342 1.00 ND Pass Propiconazole   Diazinon 0.0102 0.0342 0.200 ND Pass Propoxur 0.0102 0.0342 0.100 ND Pass Pyrethrins 0.0410 0.137 1.00 ND Pass Pyrethrins 0.0410 0.137 1.00 ND Pass Pyridaben 0.0102 0.0342 3.00 ND Pass Pyridaben 0.0102 0.0342 3.00 ND Pass Spinetoram 0.0102 0.0342 3.00 ND Pass Spinosad 0.0102 0.0342 3.00 ND Pass Spinosad	Cyfluthrin	0.0410	0.137	1.00	ND	Pass	Piperonyl Butoxide	0.0102	0.0342	3.00	ND	Pass
Diazinon 0.0102 0.0342 0.200 ND Pass Propoxur 0.0102 0.0342 0.100 ND Pass Propoxur   Dichlorvos 0.0102 0.0342 0.100 ND Pass Pyrethrins 0.0410 0.137 1.00 ND Pass Pyrethrins 0.0102 0.0342 3.00 ND Pass Pyridaben 0.0102 0.0342 3.00 ND Pass Spinetoram 0.0102 0.0342 3.00 ND Pass Spinesad 0.0102 0.0342 3.00 ND Pass Spinosad	Cypermethrin	0.0205	0.0683	1.00	ND	Pass	Prallethrin	0.0410	0.0342	0.400	ND	Pass
Dichlorvos 0.0102 0.0342 0.100 ND Pass Pyrethrins 0.0410 0.137 1.00 ND Fass Pyrethrins   Dimethoate 0.0102 0.0342 0.100 ND Pass Pyridaben 0.0102 0.0342 3.00 ND Fass Spinetoram 0.0102 0.0342 3.00 ND Fass Spinetoram 0.0102 0.0342 3.00 ND Fass Spinosad 0.0102 0.0342 0.00 ND Fass Spinosad 0.0102 0.0342 0.00 ND Fass Spinosad 0.0102 0.0342 0.00 ND Fass Spinosad 0.0102 0.00 ND Fass Spinosad 0.0102 0.00 ND ND ND Pass Spinosad 0.00	Daminozide	0.0102	0.0342	0.100	ND	Pass	Propiconazole	0.0102	0.0342	1.00	ND	Pass
Dimethoate 0.0102 0.0342 0.100 ND Pass Pyridaben 0.0102 0.0342 3.00 ND Fass Pyridaben   Dimethomorph 0.0102 0.0342 3.00 ND Pass Spinetoram 0.0102 0.0342 3.00 ND Fass Spinetoram   Ethoprophos 0.0102 0.0342 0.100 ND Pass Spinosad 0.0102 0.0342 3.00 ND Fass Spinosad	Diazinon	0.0102	0.0342	0.200	ND	Pass	Propoxur	0.0102	0.0342	0.100	ND	Pass
Dimethomorph 0.0102 0.0342 3.00 ND Pass Spinetoram 0.0102 0.0342 3.00 ND Fethoprophos   Ethoprophos 0.0102 0.0342 0.100 ND Pass Spinosad 0.0102 0.0342 3.00 ND F	Dichlorvos	0.0102	0.0342	0.100	ND	Pass	Pyrethrins	0.0410	0.137	1.00	ND	Pass
Ethoprophos 0.0102 0.0342 0.100 ND Pass Spinosad 0.0102 0.0342 3.00 ND F	Dimethoate	0.0102	0.0342	0.100	ND	Pass	Pyridaben	0.0102	0.0342	3.00	ND	Pass
	Dimethomorph	0.0102	0.0342	3.00	ND	Pass	Spinetoram	0.0102	0.0342	3.00	ND	Pass
	Ethoprophos	0.0102	0.0342	0.100	ND	Pass	Spinosad	0.0102	0.0342	3.00	ND	Pass
Etofenprox 0.0102 0.0342 0.100 ND Pass Spiromesifen 0.0102 0.0342 3.00 ND F	Etofenprox	0.0102	0.0342	0.100	ND	Pass	Spiromesifen	0.0102	0.0342	3.00	ND	Pass
Etoxazole 0.0102 0.0342 1.50 ND Pass Spirotetramat 0.0102 0.0342 3.00 ND F	Etoxazole	0.0102	0.0342	1.50	ND	Pass	Spirotetramat	0.0102	0.0342	3.00	ND	Pass
Fenhexamid 0.0102 0.0342 3.00 ND Pass Spiroxamine 0.0102 0.0342 0.100 ND F	Fenhexamid	0.0102	0.0342	3.00	ND	Pass	Spiroxamine	0.0102	0.0342	0.100	ND	Pass
Fenoxycarb 0.0102 0.0342 0.100 ND Pass Tebuconazole 0.0102 0.0342 1.00 ND F	Fenoxycarb	0.0102	0.0342	0.100	ND	Pass	Tebuconazole	0.0102	0.0342	1.00	ND	Pass
	,	0.0102	0.0342	0.100	ND	Pass	Thiacloprid	0.0102	0.0342	0.100	ND	Pass
Fipronil 0.0102 0.0342 0.100 ND Pass Thiamethoxam 0.0102 0.0342 1.00 ND F	Fipronil	0.0102	0.0342	0.100	ND	Pass	Thiamethoxam	0.0102	0.0342	1.00	ND	Pass
Flonicamid 0.0102 0.0342 2.00 ND Pass Trifloxystrobin 0.0102 0.0342 3.00 ND F	Flonicamid	0.0102	0.0342	2.00	ND	Pass	Trifloxystrobin	0.0102	0.0342	3.00	ND	Pass

SOP.402; LC-MS/MS & SOP.302; GC-MS



6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lab Manager Technical Mana Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34\_00077

Kristen Goedde Lab Manager Tom Barkley Technical Manager Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 10 NYCRR §1005 issued by the New York Cannabinoid Hemp Program. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Powered by Confident Cannabis 6 of 6

Cloud Water Brands

14 Murray Street #228 New York, NY 10007 michael@cloudwaterbrands.com (631) 796-7646 Sample: 221014TRI002.006

Sample Description: Half Tea/Lemonade

Sample Received: 10/14/2022; Report Created: 11/03/2022; Sampled By: Client;

Half Tea #2

Ingestible, Beverage



**Pass** 

Residual Solvents

Date Analyzed: 11/01/2022

Analytes LOD Result Status Limit µg/g µg/g µg/g 1,1- Dichloroethene 0.0359 **Pass** 0.108 8.00 ND 1,2-Dichloroethane 0.144 0.431 5.00 ND **Pass** Acetone 14.4 43.1 5000 ND **Pass** Acetonitrile 14.4 43.1 410 ND **Pass** Benzene 0.0359 2.00 ND Pass Butane 43.1 2000 ND Pass 14.4 Chloroform 0.0359 0.108 60.0 ND **Pass** Ethanol 14.4 43.1 5000 2200 **Pass** Pass Ethyl acetate 14.4 43.1 5000 ND Ethyl ether 14.4 43.1 ND **Pass** Ethylene oxide 0.144 0.431 5.00 Pass ND Heptane 14.4 43.1 5000 ND Pass Isopropyl alcohol 14.4 43.1 5000 ND **Pass** Methanol 14.4 43.1 3000 80.9 Pass Methylene chloride 0.0718 0.215 ND **Pass** 600 n-Hexane 7.18 21.5 290 ND **Pass** 3.59 10.8 5000 **Pass** Pentane ND Propane 7.18 21.5 5000 ND **Pass** Toluene 7.18 21.5 890 ND **Pass** Trichloroethylene 0.0359 0.108 80.0 ND Pass **Xylenes** 7.18 21.5 2170 ND Pass

SOP.204; HS-GC-MS.



6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lab Manager Technical Mana Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34\_00077

Myelvll Kristen Goedde Lab Manager Tom Barkley

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 10 NYCRR §1005 issued by the New York Cannabinoid Hemp Program. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.